

5. ExplodedView and Parts

Contents

Thumbnail	5-2	5.7 ADF Ass'y	5-19
5.1 Main	5-3	5.8 Platen Ass'y	5-21
5.2 Cover Ass'y	5-5	5.9 OPE Unit	5-23
5.3 Cover Middle	5-7	5.10 Duplex Unit	5-25
5.4 Frame	5-9	5.11 Fuser.....	5-27
5.5 Main Drive	5-15	5.12 Cassette	5-30
5.6 Scan Ass'y	5-17	5.13 SCF	5-32














DIGITAL LASER MFP




The keynote of Product

- Print/Copy Speed
SCX-4824FN : 24 ppm (A4) / 24 cpm (A4)
SCX-4828FN : 28 ppm (A4) / 28 cpm (A4)
- Print resolution
: 1200 dpi effective output
- CPU : 360 Mhz
- PCL5e, PCL6, IBM ProPrinter, EPSON PS(4828FN)
- Memory
SCX-4824FN : 64MB(Max. 320MB)
SCX-4828FN : 128MB(Max. 384MB)
- ADF : 30(4824FN) / 50(4828FN) Sheet
- MP : 1 Sheet
- Toner : 2K(Initial)/ 5K(Sales)

Thumbnail

			
5.1 Main	5.2 Cover Ass'y	5.3 Cover Middle	5.4 Frame
			
5.5 Main Drive	5.6 Scan Ass'y	5.7 ADF Ass'y	5.8 Platen Ass'y
			
5.9 OPE Unit	5.10 Duplex Unit	5.11 Fuser	5.12 Cassette
			
5.13 SCF			

5.1 Main




Main Parts List

SA : SERVICE AVAILABLE, SNA : SERVICE not AVAILABLE

Drawer#	SEC_Code	Description	QT'y	Service	Remark
5.1-0	SCX-4828FN	28 PPM, Mono Laser MFP			
	SCX-4824FN	24 PPM, Mono Laser MFP			
5.1-1	JC96-05077A	ELA HOU-FRAME_220V	1	SA	
	JC96-05076A	ELA HOU-FRAME_110V	1	SA	
5.1-2	JC92-02028A	PBA-MAIN	1	SA	SCX-4828FN
	JC92-02038A	PBA-MAIN	1	SA	SCX-4824FN
5.1-3	JC44-00156A	HVPS	1	SA	
5.1-4	JC44-00095B	SMPS-V1	1	SA	110V
	JC44-00096B	SMPS-V2C	1	SA	220V
5.1-5	JC39-00817A	CBF HARNESS-FUSER AC(SMPS)	1	SA	
5.1-6	JC39-00828A	HARNESS-SMPS	1	SA	
5.1-7	JC39-00824A	CBF HARNESS-HVPS	1	SA	
5.1-8	JC96-04731A	ELA UNIT-RX DRIVE	1	SA	
5.1-9	JC39-00820A	CBF HARNESS-MOTOR & SOLENOID	1	SA	
5.1-10	JC39-00816A	CBF HARNESS-AC-INLET	1	SA	
5.1-11	JC66-01218A	ROLLER-TRANSFER	1	SA	
5.1-12	JC96-04733A	ELA UNIT-LSU	1	SA	
5.1-13	JC96-04736A	MEA UNIT-DUPLEX	1	SA	
5.1-14	JC97-03015A	MEA UNIT-COVER_REAR	1	SA	
5.1-15	JC96-05079B	ELA HOU-COVER-RIGHT	1	SA	
5.1-16	JC97-03221A	MEA-COVER LEFT	1	SA	
5.1-17	JC97-03017A	MEA UNIT-CASSETTE	1	SA	
5.1-18	JC97-03222A	MEA-COVER FRONT	1	SA	
5.1-19	JC96-05078A	ELA HOU-COVER-MIDDLE	1	SA	
5.1-20	JC96-05074D	ELA HOU-SCAN_HIGH	1	SA	SCX-4828FN
	JC96-05074M	ELA HOU-SCAN_LOW	1	SA	SCX-4824FN
5.1-21	JC96-04823B	CARTRIDGE-TONER	1	SNA	
5.1-22	JC63-01926A	COVER-H_FAX_BOARD	1	SA	
5.1-23	6003-000196	SCREW-TAPTITE	2	SA	
5.1-24	JC92-01746A	PBA SUB-MODEM	1	SA	
5.1-25	3903-000085	CBF-POWER CORD	1	SA	XAA

5.2 Cover Ass'y




Cover Ass'y Parts List

SA : SERVICE AVAILABLE, SNA : SERVICE not AVAILABLE

Drawer#	SEC_Code	Description	QT'y	Service	Remark
5.2-0	JC96-05099B	ELA HOU-COVER	1	SNA	
5.2-1	JC97-03222A	MEA-COVER FRONT	1	SA	
5.2-1-1	6003-000282	SCREW-TAPTITE	1	SNA	
5.2-1-2	JB64-00007A	LOCKER-LATCH PUSH	1	SA	
5.2-1-3	JC61-02267A	BRACKET-MANUAL	1	SNA	
5.2-1-4	JC63-01569D	COVER-MANUAL	1	SA	
5.2-1-5	JC63-01919A	COVER-FRONT	1	SNA	
5.2-2	JC97-03221A	MEA-COVER LEFT	1	SA	
5.2-2-1	JC63-01920A	COVER-LEFT	1	SNA	
5.2-2-2	JC72-01405A	SPONGE-COVER SIDE L	1	SNA	
5.2-2-3	JC72-01460A	SPONGE-SIDE BOTTOM L	1	SNA	
5.2-2-4	JC72-01462A	SPONGE-SIDE FRONT	1	SNA	
5.2-3	JC97-03015A	MEA UNIT-COVER_REAR	1	SA	
5.2-3-1	JC63-01526A	COVER-REAR	1	SA	
5.2-3-2	JC61-02399A	GUIDE-CHANGE_DUP	1	SNA	
5.2-3-3	JC72-01444A	SPONGE-GUIDE CHANGE DUP	1	SNA	
5.2-3-4	JC72-01445A	SPONGE-COVER REAR	1	SNA	
5.2-4	JC96-05079A	ELA HOU-COVER-RIGHT	1	SA	
5.2-4-1	JC63-01925B	COVER-RIGHT	1	SNA	
5.2-4-2	JC63-01928B	COVER-RIGHT DIMM	1	SNA	
5.2-4-3	JC72-01461A	SPONGE-SIDE BOTTOM R	1	SNA	
5.2-4-4	JC72-01462A	SPONGE-SIDE FRONT	1	SNA	

5.3 Cover Middle




Cover Middle Parts List


SA : SERVICE AVAILABLE, SNA : SERVICE not AVAILABLE

Drawer#	SEC_Code	Description	QT'y	Service	Remark
5.3-0	JC96-05078A	ELA HOU-COVER-MIDDLE	1	SA	
5.3-1	3001-002262	SPEAKER	1	SA	
5.3-2	JC61-02583A	STACKER-RX LARGE	1	SNA	
5.3-3	JC61-02584A	STACKER-RX SMALL	1	SNA	
5.3-4	JC63-01913A	GROUND-BRUSH	1	SNA	
5.3-5	JC72-01343A	PMO-SUB_M_STACKER	2	SA	
5.3-6	JC63-01921A	COVER-MIDDLE	1	SNA	
5.3-7	JC63-01927A	COVER-L_FAX_BOARD	1	SNA	
5.3-8	JC61-02701A	HOLDER-ACTUATOR BINFUL	1	SNA	
5.3-9	JC66-02009A	ACTUATOR-BIN FULL	1	SNA	
5.3-10	0604-001095	PHOTO-INTERRUPTER	1	SNA	
5.3-11	6003-000196	SCREW-TAPTITE	1	SA	
-	JC39-00971A	HARNESS-BIN FULL UPPER	1	SNA	
-	JC39-00949A	HARNESS-SPEACKER JOINT	1	SNA	

5.4 Frame1



5.4 Frame2



Frame Parts List

SA : SERVICE AVAILABLE, SNA : SERVICE not AVAILABLE

Drawer#	SEC_Code	Description	QT'y	Service	Remark
5.4-0	JC96-05076A	ELA HOU-FRAME_110V		SA	110V
5.4-0	JC96-05077A	ELA HOU-FRAME_220V		SA	220V
5.4-1	JC61-02187A	FRAME-BASE	1	SA	
5.4-2	JC63-01616A	GROUND-ZENOR	1	SA	
5.4-3	JC92-01488A	PBA MAIN-ZENER	1	SA	
5.4-4	JC72-00983A	PMO-LOCKER CST	4	SA	
5.4-5	JC31-00085A	FAN-DC	1	SA	
5.4-6-1	JC70-40912A	ICT SHAFT HV LARGE	4	SA	
5.4-6-2	JC61-00031A	SPRING ETC-HV LARGE	4	SA	
5.4-7	JC63-01619A	GROUND-MOTOR_MAIN	1	SA	
5.4-8	JC63-01618A	GROUND-CONTROLLER	1	SA	
5.4-9	JC63-01620A	GROUND-PAPER	1	SA	
5.4-10	JC63-01613A	GROUND-BRKT FRONT	1	SA	
5.4-11	JC63-01621A	GROUND-TRANSFER	1	SA	
5.4-12	JC61-02233A	HOLDER-REGI	1	SA	
5.4-13	JC96-04732A	MEA UNIT SWING	1	SA	
5.4-14	JC66-01651A	GEAR DUPLEX RDCN	1	SA	
5.4-15	JC61-02220A	COLLAR SWING	1	SA	
5.4-16	JC61-02225A	BRKT SWING	1	SA	
5.4-17	JC66-01655A	SHAFT-FEED REGI	1	SA	
5.4-18	JC66-01865A	CLUTCH ELECTRIC	1	SA	
5.4-19	JC72-00382B	PMO-BUSHING FEED	5	SA	
5.4-20	JC66-01656A	ROLLER-FEED REGI	1	SA	
5.4-21	JC97-03141A	MEA UNIT-GEAR PICK UP	1	SA	
5.4-21-1	JC72-00979A	GEAR PICK UP A	1	SA	
5.4-21-2	6107-001167	SPRING-CS	1	SA	
5.4-21-3	JC72-00980A	GEAR PICKUP B	1	SA	
5.4-22	JC66-01889A	CAM-PICK UP	1	SA	
5.4-23	JC72-00982A	PMO-IDLE PICK_UP	2	SA	
5.4-24	JC66-01692A	SHAFT-P-PICK_UP	1	SA	
5.4-25	JC61-00915A	STOPPER-M-PICK UP_R2	2	SA	
5.4-26	JC97-03062A	MEA UNIT-PICK UP	1	SA	
5.4-26-1	JC73-00265A	RUBBER PICK_UP	1	SA	
5.4-26-2	JC61-00910A	HOUSING-M-PICK UP	1	SA	
5.4-26-3	JC61-00909A	HOUSING-M-PICK UP_R2	1	SA	
5.4-27	JC61-00587A	BUSH-M-PICK_UP R2	1	SA	
5.4-28	JC66-01660A	SHAFT-FEED	1	SA	
5.4-29	JC66-01634A	GEAR-FEED DR 16	1	SA	
5.4-30	JC63-01614A	GROUND-GUIDE TR	1	SA	

Frame Parts List

SA : SERVICE AVAILABLE, SNA : SERVICE not AVAILABLE

Drawer#	SEC_Code	Description	QT'y	Service	Remark
5.4-31	6107-001352	SPRING-TS	1	SA	
5.4-32	JC66-00377A	CAM-M-PICK_UP	1	SA	
5.4-33	6044-000001	RING-CS;ID3,OD3,T0.25,BLACK,SU	1	SA	
5.4-34	JC66-40964A	GEAR-EXIT,IDLE(Z17)	2	SA	
5.4-35	JC66-01627A	GEAR-FEED RDCN 24/19	1	SA	
5.4-36	JC61-02226A	BRACKET-FEED	1	SA	
5.4-37	JC33-00026A	SOLENOID PCIKUP	1	SA	
5.4-38	6003-000301	SCREW-TAPTITE	1	SA	
5.4-39	JC31-00085A	FAN-DC	1	SA	
5.4-40	JC61-02232A	HOLDER-POWER	1	SA	
5.4-41	JC63-01571A	SHIELD-POWER_SWITCH	1	SA	
5.4-42	JC61-02238A	PLATE-POWER CAP	1	SA	
5.4-43	JC63-01615A	GROUND-SCF	1	SA	
5.4-44	JC92-01439A	PBA LED-PANEL	1	SA	
5.4-45	JC61-02312A	FRAME-LSU-HOLDER-R	1	SA	
5.4-46	JC61-02311A	FRAME-LSU-HOLDER_L	1	SA	
5.4-47	JC61-02574A	FRAME-EXIT_HIGH	1	SA	
5.4-48	JC66-00875A	GEAR-M-FUSER IDLE 1	1	SA	
5.4-49	6044-001005	RING-CS	1	SA	
5.4-50	JC39-00826A	CBF HARNESS-LSU SW&FAN	1	SA	
5.4-52	JC65-00019A	TERMINAL-CRUM	4	SA	
5.4-53	JC92-01829A	PBA SUB-TERMINAL	1	SA	
5.4-54-1	JC61-02702A	HOLDER-EXIT ROLLER	2	SNA	
5.4-54-2	JC66-00824A	ROLLER-EXIT MAIN	2	SNA	
5.4-54-3	JC66-00830A	ROLLER-EXIT FR	2	SNA	
5.4-54-4	6107-001163	SPRING CS	2	SNA	
5.4-55	JC66-40209A	GEAR-M-EXIT	1	SA	
5.4-56	JC72-41191B	PMO-BEARING SHAFT	2	SA	
5.4-57	JC61-02308A	SUPPORT-ROLLER	1	SA	
5.4-59	JC66-01662A	ROLLER-EXIT F/DOWN	1	SA	
5.4-63	JC63-01916A	SHIELD-CONTROLLER	1	SA	
5.4-64	JC63-01573A	SHIELD-SMPS	1	SA	
5.4-65	JC62-00461A	INSULATION-SMPS	1	SA	
5.4-66	JC61-40001A	FOOT-ML80	2	SA	
5.4-67	JC70-00546A	ADJUST-MANUAL L	1	SA	
5.4-68	JC70-00547A	ADJUST-MANUAL R	1	SA	
5.4-69	JC70-00304A	ADJUST RACK-M-MANUAL	2	SA	
5.4-71	JC66-00387A	GEAR-RACK_PINION	1	SA	
5.4-72	JC66-01647A	ACTUATOR-FEED	1	SA	

Frame Parts List

SA : SERVICE AVAILABLE, SNA : SERVICE not AVAILABLE


Drawer#	SEC_Code	Description	QT'y	Service	Remark
5.4-73	JC66-01646A	ACTUATOR-DUPLEX	1	SA	
5.4-74	6107-001164	SPRING-TS	2	SA	
5.4-75	0604-001095	PHOTO INTERRUPTER	3	SA	
5.4-76	JC39-00824A	CBF HARNESS-HVPS	1	SA	
5.4-77	JC61-02309A	FRAME-DUPLEX_PATH	1	SA	
5.4-78	JC66-01022A	ROLLER-M-IDLE SCF	1	SA	
5.4-79	JC66-01846A	SHAFT-DUP_ROLLER	1	SA	
5.4-80	JC61-02303A	GUIDE-FRAME_DUPLEX	1	SA	
5.4-81	JC63-01743A	SHEET-GUIDE_DUP_PATH	1	SA	
5.4-82	JC72-00382B	PMO-BUSHING FEED	5	SA	
5.4-83	JC66-00598A	ROLLER-FEED	1	SA	
5.4-84	JC66-01648A	ACTUATOR-EMPTY	1	SA	
5.4-85	JC63-01617A	GROUND-PICK_UP	1	SA	
5.4-86	JC63-00527A	SHEET-BRUSH	1	SA	
5.4-87	JC75-00095A	MEC-BRUSH PICK UP	1	SNA	
5.4-88	JC61-02268A	BRACKET-COVER FRONT	1	SA	
5.4-89	JC63-01676A	GROUND-BRUSH PICK UP	1	SA	
5.4-90	JC61-02306A	GUIDE-PAPER	1	SA	
5.4-91	JC61-02400A	GUIDE FRONT PAPER	1	SA	
5.4-92	JC61-02305A	GUIDE-TR_RIB	1	SA	
5.4-93	JC61-00604A	PLATE-E_SAW	1	SA	
5.4-94	JC61-02307A	GUIDE-TR	1	SA	
5.4-95	JC61-02196A	GUIDE-INPUT	1	SA	
5.4-96	JC61-02236A	PLATE EARTH TRANSFER	1	SA	
5.4-97	JC66-01654A	SHAFT-FEED IDLE	1	SA	
5.4-98	JC61-00585A	BUSH-M-FEED IDLE	2	SA	
5.4-99	JC61-70958A	SPRING ETC-TR	2	SA	
5.4-100	JC61-00914A	PLATE-P-PUSH BUSHING	2	SA	
5.4-101	JC72-00984A	PMO-PLATE GUIDE DEVE_L	1	SA	
5.4-102	JC61-70932A	SPRING ETC-GUIDE DEVE	2	SA	
5.4-103	JC72-00985A	PMO-PLATE GUIDE DEVE_R	1	SA	
5.4-104	6107-001370	SPRING TR	1	SA	
5.4-105	JC61-02468A	BUSH-TR_L	1	SA	
5.4-106	JC65-00033A	TERMINAL SPRING TR	1	SA	
5.4-107	JC61-00588A	PMO-BUSHING_TR(L)	1	SA	
5.4-108	JC61-02304A	GUIDE-HOLDER_TR	1	SA	
5.4-109	JC61-00553A	SPRING ETC-ES (Guide holder TR)	1	SA	
5.4-110	JC61-02231A	HOLDER-TRANSFER	1	SA	
5.4-111	JC66-01649A	LINK-COVER_REAR	1	SA	

Frame Parts List

SA : SERVICE AVAILABLE, SNA : SERVICE not AVAILABLE

Drawer#	SEC_Code	Description	QT'y	Service	Remark
5.4-112	6107-001172	SPRING-CS	1	SA	
5.4-114	JC97-03067A	MEA UNIT-GUIDE REAR	1	SA	
5.4-115	JC61-00424A	BUSH-4	1	SNA	
5.4-116	JC39-00856A	HARNESS-CCD HOME	1	SA	
5.4-117	JC39-00945A	HANESS-FUSER SMPS	1	SA	

5.5 Main Drive




Main Drive Parts List

SA : SERVICE AVAILABLE, SNA : SERVICE not AVAILABLE

Drawer#	SEC_Code	Description	QT'y	Service	Remark
5.5-0	JC96-04731A	ELA UNIT-DRIVE	1	SA	
5.5-1	JC61-02195A	BRACKET-GEAR	1	SNA	
5.5-2	JC66-01641A	GEAR-EXIT RDCN 61/28	1	SA	
5.5-3	JC66-01628A	GEAR-RDCN 83/40	1	SA	
5.5-4	JC66-01632A	GEAR-FUSER DR IN 61	1	SA	
5.5-5	JC66-01626A	GEAR-RDCN 89/55	1	SA	
5.5-6	JC66-01633A	GEAR-OPC DR IN 89	1	SA	
5.5-7	JC66-01625A	GEAR-FEED RDCN 56/25	1	SA	
5.5-8	JC66-01640A	GEAR-PICKUP IDLE 31	1	SA	
5.5-9	JC66-01650A	GEAR-RDCN 52/18	1	SA	
5.5-10	JC66-01798A	GEAR-OPC CLUTCH 29	1	SA	
5.5-11	JC66-01637A	GEAR-FUSER DR OUT 37	1	SA	
5.5-12	6031-000023	WASHER-PLAIN	5	SNA	
5.5-13	JC61-02227A	BRACKET-MOTOR	1	SNA	
5.5-14	JC31-00090A	MOTOR BLDC	1	SNA	
5.5-15	6003-000269	SCREW-TAPTITE	11	SA	
5.5-18	6044-001130	RING-C	1	SNA	
5.5-19	JC66-00340A	GEAR HUB CLUTCH	1	SNA	
5.5-20	6107-001372	SPRING CLUTCH	1	SNA	

5.6 Scan Ass'y




Scan Ass'y Parts List

SA : SERVICE AVAILABLE, SNA : SERVICE not AVAILABLE

Drawer#	SEC_Code	Description	QT'y	Service	Remark
5.6-0	JC96-05074D	ELA HOU-SCAN_HIGH	1	SA	SCX-4828FN
	JC96-05074M	ELA HOU-SCAN_LOW	1	SA	SCX-4824FN
5.6-1	JC67-00304A	CAP-ADF CONNECTOR	1	SNA	
5.6-2	JC96-05091A	ELA HOU-ADF	1	SA	
5.6-3	JC96-05095A	ELA HOU-PLATEN_HIGH	1	SA	SCX-4828FN
	JC96-05097A	ELA HOU-PLATEN_LOW	1	SA	SCX-4824FN
5.6-4	JC96-05094D	ELA HOU-OPE	1	SA	SCX-4828FN
	JC96-05094M	ELA HOU-OPE	1	SA	SCX-4824FN

5.7 ADF Ass'y





ADF Ass'y Parts List

SA : SERVICE AVAILABLE, SNA : SERVICE not AVAILABLE

Drawer#	SEC_Code	Description	QT'y	Service	Remark
5.7-0	JC96-05091A	ELA HOU-ADF	1	SA	
5.7-3	6003-000196	SCREW-TAPTITE	10	SA	
5.7-4	JC96-05092A	ELA HOU-ADF MOTOR	1	SA	
5.7-5	JC96-05093A	ELA HOU-ADF LOWER	1	SA	
5.7-6	JC97-01962A	MEA UNIT-PICKUP DELL	1	SA	
5.7-7	JC97-03223A	MEA-ADF UPPER	1	SA	
5.7-8	JC97-03224A	MEA-COVER OPEN	1	SA	
5.7-9	JC97-03225A	MEA-COVER PLATEN	1	SA	
5.7-10	JC97-03226A	MEA-TX STACKER	1	SA	

5.8 Platen Ass'y




Platen Ass'y Parts List

SA : SERVICE AVAILABLE, SNA : SERVICE not AVAILABLE

Drawer#	SEC_Code	Description	QT'y	Service	Remark
5.8-1	JC96-05096A	ELA HOU-SCAN LOWER_H	1	SA	SCX-4828FN
	JC96-05098A	ELA HOU-SCAN LOWER_L	1	SA	SCX-4824FN
5.8-1-1	6003-000196	SCREW-TAPTITE	9	SA	
5.8-1-2	JC39-00944A	HARNESS-OPE	1	SA	
5.8-1-3	JC39-00948A	HARNESS-ADF LOWER	1	SNA	
5.8-1-4	JC39-00951A	FLAT CABLE	1	SNA	
5.8-1-5	JC61-02575A	HOLDER-USB	1	SNA	
5.8-1-6	JC63-01922A	COVER-SCAN LOWER	1	SNA	
5.8-1-7	JC63-01929A	COVER-MIDDLE DECO	1	SNA	
5.8-1-8	JC39-00953A	HARNESS-USB HOST	1	SNA	SCX-4828FN
5.8-1-9	JC92-02033A	PBA-JOINT	1	SNA	
5.8-1-10	JC96-05131A	ELA UNIT-STANDARD SCAN	1	SNA	
5.8-1-10-2	JC66-01580A	SLIDER-CIS	2	SA	
5.8-1-10-3	0609-001305	CONTACT IMAGE SENSOR	1	SA	
5.8-1-10-4	JC61-02506A	BRACKET-CIS	1	SNA	
5.8-1-10-5	6107-001137	SPRING-CS	2	SA	
5.8-1-10-6	JC39-00951A	FLAT CABLE	1	SNA	
5.8-1-10-7	6602-001637	BELT-TIMING GEAR	1	SA	
5.8-1-10-8	JB61-00232A	CLIP-P-BELT	1	SA	
5.8-1-10-9	0604-001095	PHOTO-INTERRUPTER	1	SA	
5.8-1-10-10	JC66-00713A	PULLEY-M_IDLE	1	SNA	
5.8-1-10-11	JC61-00931A	BRACKET-P-PULLEY	1	SNA	
5.8-1-10-12	6107-001194	SPRING-CS	1	SA	
5.8-1-10-13	JC61-02517A	FRAME-SCAN LOWER	1	SNA	
5.8-1-10-14	JC66-01448A	SHAFT-CIS	1	SA	
5.8-1-10-15	JC96-05013A	ELA UNIT-SCAN DRIVE	1	SNA	
5.8-1-10-16	6003-000196	SCREW-TAPTITE	3	SA	
5.8-1-10-17	JC63-01803A	COVER-FFC	1	SNA	
5.8-1-11	JC92-02065A	PBA-USB HOST	1	SA	SCX-4828FN
5.8-2	JC97-03227A	MEA-SCAN UPPER	1	SA	
5.8-2-1	0203-001266	TAPE-DOUBLE FACE	1	SNA	
5.8-2-2	0203-001267	TAPE-DOUBLE FACE	2	SNA	
5.8-2-3	JB01-00002A	GLASS-PLATEN	1	SA	
5.8-2-4	JC63-01906A	SHEET-SHADING	1	SNA	
5.8-2-5	JC63-01923A	COVER-SCAN UPPER	1	SNA	
5.8-2-6	JC97-03237A	MEA HOU-ADF SHEET	1	SA	

5.9 OPE Unit




OPE Unit Parts List

SA : SERVICE AVAILABLE, SNA : SERVICE not AVAILABLE

Drawer#	SEC_Code	Description	QT'y	Service	Remark
5.9-1	JC96-05094C	ELA HOU-OPE	1	SA	SCX-4828FN
	JC96-05094M	ELA HOU-OPE	1	SA	SCX-4824FN
5.9-2	JC63-01924D	COVER-OPE	1	SNA	SCX-4828FN
	JC63-01924M	COVER OPE	1	SNA	SCX-4824FN
5.9-3	JC63-00076A	COVER-WINDOW SF-530	1	SNA	
5.9-4	6003-000196	SCREW-TAPTITE	4	SA	
5.9-5	JC64-00386A	KEY-EXTRA	1	SNA	
5.9-6	JC64-00387A	KEY-FAX	1	SNA	
5.9-7	JC64-00388A	KEY-MENU	1	SNA	
5.9-8	JC64-00389A	KEY-OK	1	SNA	
5.9-9	JC64-00392A	KEY-STATUS	1	SNA	
5.9-10	JC64-00393A	KEY-STOP	1	SNA	
5.9-11	JC64-00394A	KEY-TEL	1	SNA	
5.9-12	JC64-00410A	KEY-START	1	SA	
5.9-13	JC92-02019A	PBA SUB-OPE	1	SA	
5.9-14	JC63-01802A	COVER-LCD	1	SNA	

5.10 Duplex Unit(Only SCX-4828FN)




Duplex Unit(Only SCX-4828FN) Parts List

SA : SERVICE AVAILABLE, SNA : SERVICE not AVAILABLE

Drawer#	SEC_Code	Description	QT'y	Service	Remark
5.10-0	JC96-04736A	ELA UNIT-DUPLEX	1	SA	
5.10-1	JC61-02188A	FRAME-DUPLEX_BASE	1	SNA	
5.10-2	JC65-00036A	TERMINAL-GND_DUP L	1	SA	
5.10-3	JC65-00035A	TERMINAL-GND_DUP S	1	SA	
5.10-4	JC61-00665A	BUSH-M-FEED, DUP	6	SA	
5.10-5	JC66-01657A	ROLLER-FEED_DUP2	1	SNA	
5.10-6	6044-000107	RING-C	1	SNA	
5.10-7	JC66-00900A	PULLEY-M-18-DUMMY_DUP	6	SA	
5.10-8	JC66-00899A	PULLEY-18_DUP	3	SA	
5.10-9	JC66-00038A	GEAR-EXIT F/DOWN	1	SA	
5.10-10	6602-001589	BELT-TIMING GEAR	1	SA	
5.10-11	6602-001588	BELT-TIMING GEAR	1	SA	
5.10-12	JC96-04983A	ELA UNIT-ROLLER_DUP	2	SNA	
5.10-12-1	JC66-00901A	ROLLER-FEED_DUP	1	SA	
5.10-12-2	6044-000107	RING-C	1	SNA	
5.10-13	JC61-02235A	BRACKET-DUPLEX_ALIGN	1	SNA	
5.10-14	6002-000440	SCREW-TAPPING	1	SNA	
5.10-15	JC61-02314A	GUIDE-DUPLEX_UPPER	1	SNA	
5.10-16	JC66-00896A	ROLLER-M-IDLE_ DUP	2	SA	
5.10-17	JK72-00058A	PCT-SILP WASHER	4	SNA	
5.10-18	JC66-00444A	SHAFT-IDLE ROLL, DUP	2	SA	
5.10-19	6107-001156	SPRING-TS	2	SA	
5.10-20	6003-000196	SCREW-TAPTITE	3	SNA	

5.11 Fuser



Fuser Parts List

SA : SERVICE AVAILABLE, SNA : SERVICE not AVAILABLE


Drawer#	SEC_Code	Description	QT'y	Service	Remark
5.11-0	JC96-05132A	ELA UNIT-FUSER	1	SA	220V
	JC96-05133A	ELA UNIT-FUSER	1	SA	110V
5.11-1	JC63-01917A	COVER-FUSER	1	SNA	
5.11-2	JC72-40981A	PMO-ROLLER UPPER DP	3	SA	
5.11-3	JC66-01312A	ROLLER-IDLE	5	SA	
5.11-4	JC70-20901A	IEX-SHAFT IDLE,F/UP	3	SA	
5.11-5	1404-001364	THERMISTOR-NTC ASSY	1	SA	
5.11-6	6003-000196	SCREW-TAPTITE	3	SA	
5.11-7	4712-001031	THERMOSTAT	1	SA	
5.11-8	6003-000282	SCREW-TAPTITE	4	SNA	
5.11-9	JC63-01536A	GROUND-FUSER	1	SNA	
5.11-10	JC66-01256B	ROLLER-HEAT	1	SA	
5.11-11	JC66-01254A	GEAR-FUSER	1	SA	
5.11-12	JC61-02334A	BUSH-HR-L	1	SNA	
5.11-13	JC61-02335A	BUSH-HR-R	1	SNA	
5.11-14	JC72-20902A	PEX-ROLLER F/UP(2)	2	SA	
5.11-15	6107-001359	SPRING-ETC	4	SA	
5.11-16	JC61-02538A	GUIDE-CLAW	4	SNA	
5.11-17	JC61-01950A	SPRING ETC-CLAW	4	SA	
5.11-18	6107-001165	SPRING-TS	1	SA	
5.11-19	JC66-01595A	ACTUATOR-EXIT	1	SNA	
5.11-20	JC61-02197A	FRAME-FUSER	1	SNA	
5.11-21	JC66-01663A	ROLLER-PRESSURE	1	SA	
5.11-22	JC61-02336A	BUSH-PR-1ST	2	SNA	
5.11-23	JC66-01664A	ROLLER-PRESSURE_2ND	1	SA	
5.11-24	JC61-02337A	BUSH-PR-2ND	2	SNA	
5.11-25	JC66-01598A	LEVER-LINK JAM_R	1	SNA	
5.11-26	JC66-01597A	LEVER-LINK JAM_L	1	SA	
5.11-27	6107-001246	SPRING-CS	2	SA	
5.11-28	6044-000159	RING-C	2	SA	
5.11-29	6107-001361	SPRING-ES	2	SA	
5.11-30	4713-001212	LAMP-HALOGEN	1	SA	220V
	4713-001211	LAMP-HALOGEN	1	SA	110V
5.11-31	JC67-00266A	CAP-LAMP_L	1	SNA	
5.11-32	JC67-00267A	CAP-LAMP_R	1	SNA	
5.11-33	JC66-01638A	GEAR-FUSER RDCN 28-20	1	SA	
5.11-34	JC66-00056A	GEAR-MPF 5	1	SNA	
5.11-35	6031-001051	WASHER-PLAIN	2	SNA	

Fuser Parts List

SA : SERVICE AVAILABLE, SNA : SERVICE not AVAILABLE

Drawer#	SEC_Code	Description	QT'y	Service	Remark
5.11-36	6044-000001	RING-CS	2	SNA	
5.11-37	0604-001095	PHOTO-INTERRUPTER	1	SA	
5.11-38	JC61-02520A	PLATE-ACTUATOR	1	SNA	
5.11-39	JC39-00946A	HARNESS-FUSER AC	1	SNA	
5.11-40	JC39-00819A	HARNESS-FUSER JOINT	1	SA	
5.11-41	JC39-00823A	HARNESS-EXIT SENSOR	1	SA	

5.12 Cassette




Cassette Parts List

SA : SERVICE AVAILABLE, SNA : SERVICE not AVAILABLE

Drawer#	SEC_Code	Description	QT'y	Service	Remark
5.12-0	JC97-03017A	MEA UNIT-CASSETTE	1	SA	
5.12-1	JC61-00876A	FRAME-M_CASSETTE	1	SA	
5.12-2	JC61-00918B	GUIDE-M-EXTENSION L2	1	SA	
5.12-3	JC72-00971A	PMO-EXTENSION SMALL	1	SA	
5.12-4	JC70-00301A	ADJUST-M-CASSETTE_R	1	SA	
5.12-5	JC70-00300A	ADJUST-M-CASSETTE_L	1	SA	
5.12-6	JG66-40003A	GEAR-PINION	1	SA	
5.12-7	6003-000264	SCREW-TAPTITE	1	SA	
5.12-8	JC61-00603A	PLATE-P-KNOCK_UP	1	SA	
5.12-9	JC66-00719A	CAM-M-KNOCK UP	1	SA	
5.12-10	6003-000261	SCREW-TAPTITE	1	SA	
5.12-11	6107-001166	SPRING-CS	2	SA	
5.12-12	JC72-00972A	PMO-PLATE_LOCKER	1	SA	
5.12-13	JG61-70531A	SPRING ETC-LOCKER,PLATE	1	SA	
5.12-14	JC96-04743A	ELA HOU-HOLDER_PAD	1	SA	
5.12-14-1	JC61-02159A	HOLDER-PAD	1	SNA	
5.12-14-2	JC73-00140A	RPR-FRICTION PAD	1	SNA	
5.12-14-3	JC61-02237A	PLATE-PAD	1	SNA	
5.12-14-4	JC63-01669A	SHEET PAD	1	SNA	
5.12-14-5	JC63-01205A	GROUND-PAD	1	SNA	
5.12-14-6	JC61-70911A	SPRING ETC-EXIT ROLL FD	1	SNA	
5.12-15	JC61-01978A	HOUSING-HOLDER PAD	1	SA	
5.12-16	JC63-01531A	COVER-HANDLE_CASSETTE	1	SA	
5.12-17	6107-001047	SPRING-ES	2	SA	
5.12-18	JC66-00529A	ROLLER-M-IDLE FEED	2	SA	
5.12-19	6003-000196	SCREW-TAPTITE	2	SA	
5.12-20	JC64-00353A	INDICATOR-PAPER	1	SA	
5.12-21	JC63-01670A	SHEET-GUIDE_SIDE_FAR	4	SA	
5.12-22	JC72-01442A	SPONGE CST TOP	1	SA	
5.12-23	JC61-01692A	SUPPORT-HOLDER PAD	1	SA	
5.12-24	JC73-00141A	RPR-PAD CASSETTE	1	SA	
5.12-25	JC61-02484A	STOPPER-ADJUSTER	1	SA	

5.13 SCF



SCF Parts List

SA : SERVICE AVAILABLE, SNA : SERVICE not AVAILABLE

Drawer#	SEC_Code	Description	QT'y	Service	Remark
5.13-0	JC96-05108A	ELA HOU-SCF	1	SNA	
5.13-1	JC97-03017A	MEA UNIT-CASSETTE	1	SNA	
5.13-2	JC63-01964A	COVER-FRONT_SCF	1	SNA	
5.13-3	JC63-01963A	COVER-RIGHT_SCF	1	SNA	
5.13-4	JC63-01962A	COVER-LEFT_SCF	1	SNA	
5.13-5	JC63-01608A	COVER-REAR_SCF	1	SA	
5.13-6	JC63-01650A	COVER-DUPLEX	1	SA	
5.13-7	JC63-01651A	COVER-REAR DUPLEX	1	SA	
5.13-8	6003-000196	SCREW-TAPTITE	6	SA	
5.13-9	JC96-04772A	ELA HOU-MOTOR_SCF	1	SA	
5.13-10	JC97-03062A	MEA UNIT-PICK UP	1	SA	
5.13-10-1	JC61-00909A	HOUSING-M-PICK UP_R2	1	SA	
5.13-10-2	JC73-00265A	SPONGE-ROLLER PICK UP	1	SA	
5.13-10-3	JC61-00910A	HOUSING-M-PICK UP2_R2	1	SA	
5.13-11	JC96-04771A	ELA HOU-FRAME_SCF	1	SA	
5.13-11-1	JC61-02189A	FRAME-SCF	1	SNA	
5.13-11-2	JC63-00369A	SHEET-COVER SENSOR	1	SA	
5.13-11-3	JC70-11028A	IPR-GROUND TOP	1	SA	
5.13-11-4	6003-000196	SCREW-TAPTITE	11	SA	
5.13-11-5	JC72-00983A	PMO-LOCKER CST	2	SA	
5.13-11-6	JC72-00975A	PMO-ACTUATOR EMPTY	1	SA	
5.13-11-7	JC63-00527A	SHEET-BRUSH	1	SA	
5.13-11-8	JC75-00095A	MEC-BRUSH ANTISTATIC	0.5	SA	
5.13-11-9	JC61-40001A	FOOT-ML80	2	SA	
5.13-11-10	JC61-00836A	FOOT-FRONT	2	SA	
5.13-11-11	JC63-01609A	COVER-HARNESS_SCF	1	SNA	
5.13-11-12	JC63-00492A	COVER-M-SIMM R2	1	SA	
5.13-11-13	JC92-01911A	PBA-SCF	1	SA	
5.13-11-14	JC63-01635A	GROUND-BRUSH_SCF	1	SNA	
5.13-11-15	JC63-01636A	GROUND-PAPER_SCF	1	SNA	
5.13-11-16	JC33-00026A	SOLENOID-PICK UP	1	SA	
5.13-11-17	JC61-00587A	BUSH-M-PICK_UP R	1	SA	
5.13-11-18	JC61-00915A	STOPPER-M-PICK UP_R2	2	SA	
5.13-11-19	JC72-00982A	PMO-IDLE PICK_UP	2	SA	
5.13-11-20	JC66-01658A	SHAFT-PICK_UP_SCF	1	SNA	
5.13-11-21	JC61-00586A	BUSH-M-PICK_UP L	1	SA	
5.13-11-22	JC66-01653A	SHAFT-FEED_SCF	1	SNA	
5.13-11-23	JC66-00598A	ROLLER-FEED	1	SA	
5.13-11-24	JC72-00382B	PMO-BUSHING FEED	2	SA	

SCF Parts List

SA : SERVICE AVAILABLE, SNA : SERVICE not AVAILABLE

Drawer#	SEC_Code	Description	QT'y	Service	Remark
5.13-11-25	JC66-00377A	CAM-M-PICK_UP	1	SA	
5.13-11-26	6107-001170	SPRING-TS	1	SA	
5.13-11-27	JC66-00394A	GEAR-FEED 2	1	SA	
5.13-11-28	6044-000001	RING-CS	1	SNA	
5.13-11-29	JC72-00979A	PMO-GEAR PICK_UP A	1	SA	
5.13-11-30	JC72-00980A	PMO-GEAR PICK_UP B	1	SA	
5.13-11-31	6107-001167	SPRING-CS	1	SA	
5.13-11-32	JC41-00133A	PCB-SENSOR	1	SNA	
5.13-11-33	JC61-00804A	BUSH-CABLE	1	SA	
5.13-12	JC72-01447A	SPONGE-SCF_FRAME	1	SNA	
5.13-13	JC72-01448A	SPONGE-SCF_FRONT	1	SNA	
5.13-14	JC72-01449A	SPONGE-SCF_GEAR	1	SNA	
5.13-15	JC72-01463A	SPONGE-SIDE SCF	2	SNA	
-	JC39-00920A	CBF HARNESS-SCF	1	SNA	
-	JC39-00859A	HARNESS-CLUTCH_JOINT	1	SNA	
-	JC39-00567A	CBF HARNESS-SYS_GND	1	SNA	
-	JC39-00228A	CBF HARNESS-GND	1	SNA	